

# BLUZEN

## Nitrile Extra Strength Gloves



## FINISHED PRODUCT ATTRIBUTES

The finished gloves shall exhibit uniform appearance in terms of size, shape and color, and possess good quality in terms of finished texture, typical of the product and the form of processing.



**100 Gloves per Box**



**Inner Box Dimensions:  
8.46x4.80x2.36in**



| Size | Net Weight | Gross Weight |
|------|------------|--------------|
| S    | 3.0kg      | 3.9kg        |
| M    | 3.5kg      | 4.4kg        |
| L    | 4.0kg      | 4.9kg        |
| XL   | 4.5kg      | 5.4kg        |

**Carton Dimensions: 12.40x10.00x9.06 in**

| Description   | UPC          | GTIN14         | Manufacture Code |
|---|--------------|----------------|------------------|
| Bluzen- Nitrile Disposable Blue Powder Free- Small  | 810676033772 | 10810676033779 | NIT103S          |
| Bluzen- Nitrile Disposable Blue Powder Free- Medium | 810676033789 | 10810676033786 | NIT103M          |
| Bluzen- Nitrile Disposable Blue Powder Free- Large  | 810676033796 | 10810676033793 | NIT103L          |
| Bluzen- Nitrile Disposable Blue Powder Free- XL     | 810676033802 | 10810676033809 | NIT103XL         |

**Product:** Nitrile Extra Strength Glove, Powder Free,  
**Color:** Non-sterile Blue  
**Design and Features:** Ambidextrous, finger textured, beaded cuff  
**Powder: Touch and Feel:** No powder lubricant added Soft, pliable feel with good fit  
**Uses:** Suitable for a wide variety of industries (e.g., Homecare, Food, Housing, IT Industries, Beauty Industries)  
**Storage Condition:** The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.  
**Shelf Life:** The gloves shall have shelf life of 5 years from the date of manufacture with the above storage condition.  
**Packing Style:** 100 pcs gloves x 10 dispensers x 1 carton  
**Size Marking:** The size of gloves shall be marked on the carton.  
**MIL:** 3.5 MIL finger (.09mm +/- .02mm)

| Size | Length(MM) | Width (MM) | Glove Weight (G) | Fingertip Thickness | Palm Thickness |
|------|------------|------------|------------------|---------------------|----------------|
| S    | 240        | 85         | 3.0g             | 0.09                | 0.07           |
| M    | 240        | 95         | 3.5g             | 0.09                | 0.07           |
| L    | 240        | 105        | 4.0g             | 0.09                | 0.07           |
| XL   | 240        | 115        | 4.5g             | 0.09                | 0.07           |
| XXL  | 240        | 125        | 5.0g             | 0.09                | 0.07           |

**Reference Only - ASTM American Society for Testing and Materials & FDA**

|                |  |
|----------------|--|
| ASTM D412      | Tensile Properties of Vulcanized Rubbers |
| ASTM D573      | Accelerated Aging for Rubber             |
| FDA 21 CFR 177 | Food Contact Safety                      |